

Publicaties Frank Berendse

- Berendse, F., Dirkse, G., De Graaff, G., Loode, W. (1973). Broedvogeltellingen in de Gelderse Vallei. *De Levende Natuur* 74: 252-260.
- Berendse, F. (1973). Enkele botanische en ornithologische opmerkingen over de landgoederen Erica en Groot-Bylaer in de jaren 1967 t/m 1971. *Te Velde* 1: 15-20.
- Berendse, F., Dirkse, G. (1973). Vegetatie en flora van het schraalland De Bunt in 1971, 1972 en 1973. *Te Velde* 1: 12-14.
- van Laar, V., Berendse, F. (1973). Verspreiding en voorkomen van zoogdieren, reptielen en amfibieën in het CRM-reservaat Groot-Zandbrink. *Te Velde* 1: 1-8.

- Berendse, F., Dirkse, G. (1974). Flora en vegetatie van de schietlanen in bosjes langs de Vossenweg (Barneveld). *Te Velde* 4: 1-3.
- Berendse, F. (1974). Over de biologische en landschappelijke betekenis van het noordelijke deel van de Gelderse Vallei en de polder Arkemheen. Verslag afstudeervak, Landbouwhogeschool Wageningen.

- Berendse, F., Dirkse, G., Van Dijk, J.J.A., Resing, W. (1975). Een onderzoek naar de broedvogelbevolking van het noordelijke deel van de Gelderse Vallei. *Te Velde* 7: 1-48.

- Berendse, F. (1976). Concurrentie en vermijding van concurrentie tussen margriet (*Chrysanthemum leucanthemum*) en smalle weegbree (*Plantago lanceolata*). Verslag afstudeervak, Landbouwhogeschool Wageningen.

- Berendse, F. (1977). Een vogelinventarisatie van de polder Zeldert. *Te Velde* 11: 7-10.
- Berendse, F., Dirkse, G. (1977). Verspreidbladig goudveil, *Chrysosplenium alternifolium* in de Gelderse Vallei. *Te Velde* 13: 1-2.

- Berendse, F. (1979). Competition between plant populations with different rooting depths. I. Theoretical considerations. *Oecologia* 43: 19-26.
- Berendse, F., van de Hoef, B. (1979). Watervogeltellingen langs het Nijkerker- en Nuldernauw: een vergelijking tussen vier winterhalfjaren. *Te Velde* 18: 5-23.
- Maas, P.R., Berendse, F., Beltman, B. (1979). Littekens van de ijstijd. In: *Spectrum Atlas van de Nederlandse Landschappen*. Het Spectrum, Utrecht/Antwerpen. p. 194-209.

- Berendse, F. (1981). Competition between plant populations with different rooting depths. II. Pot experiments. *Oecologia* 48: 334-341.
- Berendse, F. (1981). Competition and equilibrium in grassland communities. PhD Thesis, Utrecht University. 151 p.

- Berendse, F. (1982). Competition between plant populations with different rooting depths. III. Field experiments. *Oecologia* 53: 50-55.
- Troelstra, S.R., Berendse, F. (1982). Root CEC determinations to establish root biomasses of two plant species grown in mixtures. *Plant and Soil* 64: 277-281.
- Beltman, B., Berendse, F., Verhoeven, J.T.A., Vermeer, J.G. (1982). Nutrient cycles in small bogs in relation to inputs from the surrounding arable land: studies on the interactions between natural and agricultural ecosystems. In: *Proc. Intern. Congress Neth. Soc. Landscape Ecology*. Pudoc, Wageningen. p. 278-279.

- Berendse, F. (1983). Interspecific competition and niche differentiation between *Plantago lanceolata* and *Anthoxanthum odoratum* in a natural hayfield. *Journal of Ecology* 71: 379-390.
- Vermeer, J.G., Berendse, F. (1983). The relationship between nutrient availability, shoot biomass and species richness in grassland and wetland communities. *Vegetatio* 53: 121-126.

- Berendse, F. (1984). Erratum. *Journal of Ecology* 72(1): 368.

- Berendse, F., Aerts, R. (1984). Competition between *Erica tetralix* L. and *Molinia caerulea* (L.) Moench as affected by the availability of nutrients. *Oecologia Plantarum* 5: 3-14.
- Berendse, F., Kwant, R. (1984). Een wiskundig model voor de heide. *Tijdschrift Kon. Ned. Heide Mij.* november: 371-374.
- Berendse, F., Kwant, R. (1984). Modellen: een hulpmiddel bij het heidebeheer? Verslag Derde Studiedag Heidebeheer, Ede. p. 4-81.
- Bosatta, E., Berendse, F. (1984). Energy or nutrient regulation of decomposition: implications for the mineralization- immobilization response to perturbations. *Soil Biology & Biochemistry* 16: 63-67.
- Berendse, F. (1985). The effect of grazing on the outcome of competition between plant species with different nutrient requirements. *Oikos* 44: 35-39.
- Tietema, A., Kuikman, P., Berendse, F. (1985). Mass loss, nutrient dynamics and influence of Diptera larvae in decomposing litter of *Erica tetralix* and *Molinia caerulea*. *Pedobiologia* 28: 389-397.
- Berendse, F. (1986). Stikstofmineralisatie en strooiselproductie in voedselarme oecosystemen. *Vakblad voor Biologen* 66: 430-433.
- Berendse, F. (1986). Modellen: Een hulpmiddel bij het heidebeheer? In: *Ecosysteemmodellen: mogelijkheden en beperkingen: proceedings van de PSG-studiedag over mathematische ecosysteemmodellen* (eds. Saris, F.J.A., Aldenberg, T.). 13 maart 1986. Pudoc, Wageningen. p. 85-92.
- Berendse, F., Berg, B., Bosatta, E. (1987). The effect of lignin and nitrogen on the decomposition of litter in nutrient-poor ecosystems: a theoretical approach. *Canadian Journal of Botany* 65: 1116-1120.
- Berendse, F., Oudhof, H., Bol, J. (1987). A comparative study on nutrient cycling in wet heathland ecosystems. I. Litter production and nutrient losses from the plant. *Oecologia* 74: 174-184.
- Berendse, F., Aerts, R. (1987). Nitrogen-use-efficiency: a biologically meaningful definition? *Functional Ecology* 1: 293-296.
- Berendse, F., Beltman, B., Bobbink, R., Kwant, R., Schmitz, M. (1987). Primary production and nutrient availability in wet heathland ecosystems. *Oecologia Plantarum* 8: 265-279.
- Berendse, F. (1988). Veranderingen in de nutriëntenhuishouding en de soortensamenstelling van heidevelden onder invloed van luchtverontreiniging. In: Bokdam, J. & J. Lab (red). *Heidebeheer en luchtverontreiniging. Verslag zesde studiedag, Ede, 1987.* Stichting Studiedag Heidebeheer, Ede, p. 28-35.
- Berendse, F., Laurijsen, C., Okkerman, P. (1988). The acidifying effect of ammonia volatilized from farm manure on forest soils. *Ecological Bulletins* 39: 136-138.
- Berendse, F. (1988). Een perspectief voor systeem- en landschapsoecologisch onderzoek. *Biovisie Magazine* 2: 29-33.
- Berendse, F. (1988). Een simulatiemodel als hulpmiddel bij het beheer van vochtige heidevelden. CABO, Wageningen. 51 p.
- Aerts, R., Berendse, F. (1988). The effect of increased nutrient availability on vegetation dynamics in wet heathlands. *Vegetatio* 76: 63-69.
- Berendse, F. (1988). Erratum. *Canadian Journal of Botany* 66: 400.
- Berendse, F., Bobbink, R., Rouwenhorst, G. (1989). A comparative study on nutrient cycling in wet heathland ecosystems. II. Litter decomposition and nutrient mineralization. *Oecologia* 78: 338-348.
- Berendse, F., Elberse, W.Th. (1989). Competition and nutrient losses from the plant. In: *Causes and consequences of variation in growth rate and productivity of higher plants* (eds. H. Lambers et al.). SPB Academic Publishing, The Hague. p. 269-284.
- Berendse, F., Oomes, M.J.M., Altena, H.J., Elberse, W.Th. (1989). Restoration of species-rich grassland communities. *Bolettino della Societa Ecologica* 10: 194.

- Aerts, R., Berendse, F. (1989). Above-ground nutrient turnover and net primary production of an evergreen and a deciduous species in a heathland ecosystem. *Journal of Ecology* 77: 343-356.
- Aerts, R., Berendse, F., Klerk, N.M., Bakker, C. (1989). Root production and root turn-over in two dominant species of wet heathlands. *Oecologia* 81: 374-378.
- Berendse, F., Elberse, W.Th. (1990). Competition and nutrient availability in heathland and grassland ecosystems. In: *Perspectives on Plant Competition* (eds. Grace, J., Tilman, D.). Academic Press, Florida, Orlando. p. 93-115.
- Berendse, F. (1990). Organic matter accumulation and nitrogen mineralization during secondary succession in heathland ecosystems. *Journal of Ecology* 78: 413-427.
- Berendse, F. red. (1990). *Natuurontwikkeling en Landbouw. Agrobiologische Thema's 1: 1-96.* CABO, Wageningen.
- Berendse, F., Oomes, M.J.M. (1990). *Natuurontwikkeling in landbouwgebieden: probleemstelling en onderzoeksprogramma.* In: *Natuurontwikkeling en Landbouw* (ed. Berendse, F.). CABO, Wageningen. *Agrobiologische Thema's 1: 9-21.*
- Aerts, R., Berendse, F., de Caluwe, H., Schmitz, M. (1990). Competition in heathland along an experimental gradient of nutrient availability. *Oikos* 57: 310-318.
- van der Meer, H.G., Berendse, F. (1990). Nutriëntenoverschotten onevenredig groot. *Landbouwkundig Tijdschrift* 102: 30-31.
- Berendse, F., Oomes, M.J.M., Altena, H.J., Elberse, W.Th. (1991). Restoration of species-rich grassland communities. In: *Terrestrial and aquatic ecosystems: perturbation and recovery* (ed. Ravera O.). Ellis Horwood. p. 456-463.
- Heil, G.W., Berendse, F., Bakema, A.H. (1991). Scenario analyses using the Dutch Acidification Systems Model: Effects on heathlands. In: *Acidification Research in the Netherlands* (eds. Heij, G.J., Schneider, T.). Elsevier, Amsterdam. *Studies in Environmental Science* 46: 191-199.
- Berendse, F., Elberse, W.Th., Geerts, R.H.E.M. (1992). Competition and nitrogen loss from plants in grassland ecosystems. *Ecology* 73: 46-53.
- Berendse, F., Jonasson, S. (1992). Nutrient use and nutrient cycling in northern ecosystems. In: *Arctic ecosystems in a changing climate* (eds. Chapin, F.S., Jefferies, R.L., Reynolds, J.F., Shaver, G.R., Svoboda, J.). Academic Press, Inc., San Diego, California. p. 337-356.
- Berendse, F., Oomes, M.J.M., Altena, H.J., Elberse, W.Th. (1992). Experiments on the Restoration of Species-Rich Meadows in the Netherlands. *Biological Conservation* 62: 59-65.
- Berendse, F. (1992). Impact of dominant plant species upon the nutrient cycle in nutrient-poor ecosystems. *Mesogee, Bulletin du Museum d'Histoire Naturelle de Marseille* 52: 32.
- Bloemhof, H.S., Berendse, F. (1992). Simulation of the biomass production and nitrogen mineralization in unfertilized grasslands. *Mesogee, Bulletin du Museum d'Histoire Naturelle de Marseille* 52: 27.
- van Vuuren, M.M.I., Aerts, R., Berendse, F., de Visser, W. (1992). Nitrogen mineralization in heathland ecosystems dominated by different plant species. *Biogeochemistry* 16: 151-166.
- Best, E.P.H., Oomes, M.J.M., Berendse, F. (1992). De stikstofkringloop in een niet bemest graslandoecosysteem: effecten van ingrepen in hydrologie en natuurbeheer. In: *Stikstofstromen in agro-ecosystemen* (eds. van der Meer, H.G., Spiertz, J.H.J.). CABO, Wageningen. *Agrobiologische Thema's 6: 19-32.*
- Olf, H., Berendse, F., Best, E.P.H., van Wirdum G. (1992). *Deelprogramma natuurontwikkeling: een verkenning van modellen.* Rapport Instituut voor Bos- en Natuuronderzoek, Wageningen.
- Berendse, F. (1993). Ecosystem stability, competition and nutrient cycling. In: *Biodiversity and Ecosystem Function* (eds. Schulze, E.-D., Mooney, H.A.). Springer Verlag, Heidelberg. *Ecological Studies* 99: 409-431.
- Berendse, F., Aerts, R., Bobbink, R. (1993). Atmospheric nitrogen deposition and its impact on terrestrial ecosystems. In: *Landscape ecology of a stressed environment* (eds. Vos, C.C., Opdam, P.). Chapman & Hall, London. p. 104-121.
- Elberse, W.Th., Berendse, F. (1993). A comparative study of the growth and morphology of eight grass species from habitats with different nutrient availabilities. *Functional Ecology* 7: 223-229.

- van Vuuren, M.M.I., Berendse, F., de Visser, W. (1993). Species and site differences in the decomposition of litters and roots from wet heathlands. *Canadian Journal of Botany* 71: 167-173.
- van Vuuren, M.M.I., Berendse, F. (1993). Changes in soil organic matter and net nitrogen mineralization in heathland soils, after removal, addition or replacement of litter from *Erica tetralix* or *Molinia caerulea*. *Biology and Fertility of Soils* 15: 268-274.
- Jenkins, A., Wright, R.F., Berendse, F., van Breemen, N., Brussaard, L., Schulze, E.D., Woodward, F.I. (1993). The CLIMEX project - Climate Change Experiment. In: *Experimental manipulations of biota and biogeochemical cycling in ecosystems* (eds. Rasmussen, L., Brydges, T., Mathy, P.). *Ecosystem Research Reports 4*, Commission of the European Community, Bruxelles.
- van de Geijn, S.C., Goudiaan, J., Berendse, F. (1993). Climate change: crops and terrestrial ecosystems. *Agrobiologische Thema's* 9: 1-144.
- Arp, W., Berendse, F. (1993). Plant growth and nutrient cycling in nutrient-poor ecosystems. In: *Climate Change: crops and terrestrial ecosystems* (eds. van de Geijn, S.C. et al.). *Agrobiologische Thema's* 9: 109-123.
- Berendse, F. (1994). *Natuur in beweging*. Wageningen, Landbouwniversiteit. Inaugurele Rede Landbouwniversiteit Wageningen, 17 november 1994.
- Berendse, F., Oomes, M.J.M, Altena, H.J., de Visser, W. (1994). A comparative study of nitrogen flows in two similar meadows affected by different groundwater levels. *Journal of Applied Ecology* 31: 40-48.
- Berendse, F. (1994). Litter decomposability: a neglected component of plant fitness. *Journal of Ecology* 82: 187-190.
- Berendse, F. (1994). Competition between plant populations at low and high nutrient supplies. *Oikos* 71: 253-260.
- Berendse, F., Schmitz, M., de Visser, W. (1994). Experimental manipulation of succession in heathland ecosystems. *Oecologia* 100: 38-44.
- Berendse, F. (1994). Evaluatie van het natuurbeleid: coreferaat. In: *Om de toekomst van de landbouw*. Landbouwniversiteit Wageningen. *Beleid en universiteit* 5: 26-29.
- Olf, H., Berendse, F., de Visser, W. (1994). Changes in nitrogen mineralization, tissue nutrient concentrations and biomass compartmentation after cessation of fertilizer application to mown grassland. *Journal of Ecology* 82: 611-620.
- Grootjans, A.P., Lammerts, E. J., van Beusekom, F., Berendse, F., Dijk, E., Ernst, W.H.O. (1995). *Kalkrijke duinvalleien op de Waddeneilanden: ecologie en regeneratiemogelijkheden*. KNNV uitgeverij, Utrecht. 176 p.
- van de Geijn, S.C., Berendse, F. et al. (1995). Effects of climate change on terrestrial ecosystems. In: *Climate change research: evaluation and policy implications* (eds. Zwerver, S., van Rompaey, R.S.A.R., Kok, M.J.T., Berk, M.M.). Elsevier Science BY., Amsterdam. p. 677-706.
- Bloemhof, H.S., Berendse, F. (1995). Simulation of the decomposition and nitrogen mineralization of aboveground plant material in two unfertilized grassland ecosystems. *Plant and Soil* 177: 157-173.
- Olf, H., Berendse, F., Verkaar, D., van Wirdum, G. (1995). Modelling van vegetatiesuccessie. *Landschap* 12: 69-82.
- Howarth, R.W., Berendse, F. et al. (1996). Regional nitrogen budgets and riverine N & P fluxes for the drainages to the North Atlantic Ocean: Natural and human influences. *Biogeochemistry* 35: 75-139.
- Vazquez de Aldana, B.R., Geerts, R., Berendse, F. (1996). Nitrogen losses from perennial grass species. *Oecologia* 106: 137-143.
- Arp, W., Berendse, F., de Kovel, C. (1997). Effects of global change on plant species composition. *Change* 34: 12-15.
- Vazquez de Aldana, B.R., Berendse, F. (1997). Nitrogen-use-efficiency in six perennial grasses from contrasting habitats. *Functional Ecology* 11: 619-626.

- Berendse, F. (1998). Effects of dominant plant species on soils during succession in nutrient-poor ecosystems. *Biogeochemistry* 42: 73-88.
- Berendse, F., Lammerts, E.J., Olf, H. (1998). Soil organic matter accumulation and its implications for nitrogen mineralization and plant species composition during succession in coastal dune slacks. *Plant Ecology* 137: 71-78.
- Berendse, F., Braakhekke, W., van der Krift, T. (1998). Adaptations of plant populations to nutrient-poor environments and their implications for soil nutrient mineralization. In: *Inherent variation in plant growth. Physiological mechanisms and ecological consequences* (eds. Lambers, H., Poorter, H., van Vuuren, M.M.I.). Backhuys Publishers, Leiden. p. 503-514.
- Berendse, F. (1998). Effects of plant species on soils during succession in nutrient-poor ecosystems. In: *Vegetation science in retrospect and perspective (Abstracts)* (eds. Sjogren, E., van der Maarel, E., Pokarzhevskaya, G.). *Studies in Plant Ecology* 20: 11.
- Arp, W.J., van Mierlo, J.E.M., Berendse, F., Snijders, W. (1998). Interactions between elevated CO₂ concentration, nitrogen and water: effects on growth and water use of six perennial plant species. *Plant, Cell & Environment* 21: 1-11.
- Franssen, B., de Kroon, H., Berendse, F. (1998). Root morphological plasticity and nutrient acquisition of perennial grass species from habitats of different nutrient availability. *Oecologia* 115: 351-358.
- van Breemen, N., Jenkins, A., Wright, R.F., Beerling, D.J., Arp, W.J., Berendse, F., Beier, C., Collins, R., van Dam, D., Rasmussen, L., Verburg, P.S.J., Wills, M.A. (1998). Impacts of elevated carbon dioxide and temperature on a boreal forest ecosystem (CLIMEX project). *Ecosystems* 1: 345-351.
- Alkemade, J.R.M., Bakkenes, M., Ihle, F., Latour, J.B., Leemans, R., Berendse, F. (1998). The effects of climate change on Europe's biodiversity: modelling trends with the EUROMOVE model. In: *Facts and figures on Europe's biodiversity: state and trends* (ed. Delbaere, B.C.W.). ECNC, Tilburg. p. 18-19.
- Berendse, F. (1999). Implications of increased plant litter production for the species diversity in plant communities. *Trends in Ecology and Evolution* 14: 4-5.
- Berendse, F., de Kroon, H., Braakhekke, W. (1999). Acquisition, use, and loss of nutrients. In: *Functional Plant Ecology* (eds. Pugnaire, F.I., Valladares, F.). Marcel Dekker, New York. p. 315-345.
- Bakker, J.P., Berendse, F. (1999). Constraints in the restoration of ecological diversity in grassland and heathland communities. *Trends in Ecology and Evolution* 14: 63-68.
- de Kovel, C.G.F., van Mierlo, J.E.M., Wilms, Y.J.O., Berendse, F. (1999). Carbon and nitrogen in soil and vegetation at sites differing in successional age. In: *Assessment of long term effects of climate change on biodiversity and vulnerability of terrestrial ecosystems* (ed. van Oene, H.). Wageningen. p.73-88.
- van Oene, H., Arp, W.J., Berendse, F., Alkema, J.R.M., Bakkenes, M., Ihle, F. (1999). Simulated effects of environmental change on ecosystem processes and plant species diversity at a regional scale. In: *Assessment of long term effects of climate change on biodiversity and vulnerability of terrestrial ecosystems* (ed. van Oene, H.). Wageningen. p.123-159.
- van Oene, H., Berendse, F., de Kovel, C.G.F. (1999). Model Analysis of the effects of historic CO₂ levels and nitrogen inputs on vegetation succession. In: *Assessment of long term effects of climate change on biodiversity and vulnerability of terrestrial ecosystems* (ed. van Oene, H.). Wageningen. p. 89-122.
- van Oene, H., van Deursen, E.J.M., Berendse, F. (1999). Plant-herbivore interaction and its consequences for succession in wetland ecosystems: A modeling approach. *Ecosystems* 2: 122-138.
- van Oene, H., Berendse, F., de Kovel, C.G.F. (1999). Model analysis of the effects of historic CO₂ levels and nitrogen inputs on vegetation succession. *Ecological Applications* 9: 920-935.
- van Oene, H., Berendse, F., Alkemade, J.R.M., Bakkenes, M., Ihle, F., de Kovel, C.G.F. (1999). Assessment of long-term effects of climate change on biodiversity and vulnerability of terrestrial ecosystems. Dutch National Research Programme on Global Air Pollution and Climate Change. report no. 410200032, Bilthoven. 168 p.
- Kleijn, D., Berendse, F., Boekhoff, M., Ottburg, F., Gleichman, J.M. (1999). De effectiviteit van agrarisch natuurbeheer: evaluatie van natuurwinst door beheersovereenkomsten in de polders Westbroek en Maarsseveen. *Landschap* 16: 227-235.

- Roem, W.J., Berendse, F. (2000). Soil acidity and nutrient supply ratio as possible factors determining changes in plant species diversity in grassland and heathland communities. *Biological Conservation* 92: 151-161.
- Wardle, D.A., Huston, M.A., Grime, J.P., Berendse, F., Garnier, E., Lauenroth, W.K., Setälä, H., Wilson, S.D. (2000). Biodiversity and Ecosystem Function: An Issue in Ecology. *Ecological Bulletin ESA* 81: 235-239.
- van Mierlo, J.E.M., Wilms, Y.J.C., Berendse, F. (2000). Effects of soil organic matter and nitrogen supply on competition between *Festuca ovina* and *Deschampsia flexuosa* during inland dune succession. *Plant Ecology* 148: 51-59.
- de Kovel, C.G.F., van Mierlo, A.J.E.M., Wilms, Y.J.O., Berendse, F. (2000). Carbon and nitrogen in soil and vegetation at sites differing in successional age. *Plant Ecology* 149: 43-50.
- Heijmans, M.M.P.D., Berendse, F. (2000). Effects of elevated CO₂ and increased nitrogen deposition on a bog ecosystem in the Netherlands. In: *Sustaining Our Peatlands. Proceedings of the 11th International Peat Congress* (eds. Rochefort, L., Daigle, J.-Y.). International Peat Society, Quebec City. p. 98-105.
- van Oene, H., Berendse, F., Arp, W.J., Alkemade, J.R.M. (2000). Veranderingen op de Veluwe. Simulatie van veranderingen in ecosysteemprocessen en botanische diversiteit op regionale schaal. *Landschap* 17: 65-80.
- van Oene H., Berendse, F., Persson, T., Harrison, A.F., Schulze, E.-D., Andersen, B.R., Bauer, G.A., Dambrine, E., Högberg, P., Matteucci, G., Paces, T. (2000). Model analysis of carbon and nitrogen cycling in *Picea* and *Fagus* forests. In: *Carbon and nitrogen cycling in European forest ecosystems* (ed. Schulze, E.-D.). Springer Verlag, Heidelberg. *Ecological Studies* 142: 419-467.
- van Oene, H., Berendse, F., Arp, W.J., Alkemade, J.R.M. (2000). Toetsing van ecologische modellen. *Landschap 2000: 1997-2000*.
- Wamelink, G.W.W., Mol-Dijkstra, C.J.P., van Dobben, H.F., Kros, H., Berendse, F. (2000). Eerste fase van de ontwikkeling van het successiemodel SUMO 1. Verbetering van de vegetatiemodellering in de Natuurplanner. Rapport 045. Alterra, Wageningen, 84 p.
- Berendse, F., van Breemen, N., Rydin, H., Buttler, A., Heijmans, M., Hoosbeek, M.R., Lee, J.A., Mitchell, E., Saarinen, T., Vasander, H., Wallén, B. (2001). Raised atmospheric CO₂ levels and increased N deposition cause shifts in plant species composition and production in *Sphagnum* bogs. *Global Change Biology* 7: 591-598.
- Kleijn, D., Berendse, F., Smit, R., Gilissen, N. (2001). Agri-environment schemes do not effectively protect biodiversity in Dutch agricultural landscapes. *Nature* 413: 723-725.
- Kleijn, D., Berendse, F., Smit, R., Gilissen, N., Brak, B., Smit, J., Groeneveld, R. (2001). Evaluatie van de effectiviteit van beheersovereenkomsten in Nederland. Rapport Leerstoelgroep Natuurbeheer en Plantenecologie. Wageningen Universiteit, Wageningen. 55 p.
- Ludwig, F., de Kroon, H., Prins, H.H.T., Berendse, F. (2001). Effects of nutrients and shade on tree-grass interactions in an East African savanna. *Journal of Vegetation Science* 12: 579-588.
- Mauquoy, D., van Geel, B., Blaauw, M., van der Plicht, J., Berendse, F. (2001). North-West European bogs show that Little Ice Age climate changes may have been driven by changes in solar activity. *Change* 59: 14-16.
- van der Krift, T.A.J., Kuikman, P.J., Möller, F., Berendse, F. (2001). Plant species and nutritional-mediated control over rhizodeposition and root decomposition. *Plant and Soil* 228: 191-200.
- van der Krift, T.A.J., Berendse, F. (2001). The effect of plant species on soil nitrogen mineralization. *Journal of Ecology* 89: 555-561.
- van der Krift, T.A.J., Gioacchini, P., Kuikman, P.J., Berendse, F. (2001). Effects of high and low fertility plant species on dead root decomposition and nitrogen mineralization. *Soil Biology & Biochemistry* 33: 2115-2124.
- van Oene, H., Ellis, W.N., Heijmans, M.M.P.D., Mauquoy, D., Tamis, W.L.M., van Vliet, A.J.H., Berendse, F., van Geel, B., van der Meijden, R., Ulenberg, S.A. (2001). Long-term effects of climate change on biodiversity and ecosystem processes. Dutch National Research Programme on Global Air Pollution and Climate Change, Bilthoven. reportnr.410 200 089. 306 p.
- van Oene, H., Burgerhart, N., Berendse, F. (2001). Inundation of reclaimed gen areas reduces greenhouse gas emissions and creates new nature reserves. *Change* 59: 12-14.

- Fransen, B., de Kroon, H., Berendse, F. (2001). Soil nutrient heterogeneity alters competition between two perennial grass species. *Ecology* 82: 2534-2546.
- Heijmans, M.M.P.D., Berendse, F., Arp, W.J., Masselink, A.K., Klees, H., de Visser, W., van Breemen, N. (2001). Effects of elevated carbon dioxide and increased N deposition on bog vegetation in the Netherlands. *Journal of Ecology* 89: 268-279.
- Heijmans, M.M.P.D., Arp, W.J., Berendse, F. (2001). Effects of elevated CO₂ and vascular plants on evapotranspiration in bog vegetation. *Global Change Biology* 7: 817-827.
- Hoosbeek, M.R., van Breemen, N., Berendse, F., Grosvernier, P., Vasander, H., Wallén, B. (2001). Limited effect of increased atmospheric CO₂ concentration on ombrotrophic bog vegetation. *New Phytologist* 150: 459-463.
- Wamelink, G.W.W., van Oene, H., Mol-Dijkstra, J.P., Kros, J., van Dobben, H.F., Berendse, F. (2001). Validatie van de modellen SMART2, SUMO1, NUCOM en MOVE op site-, regionaal en nationaal niveau. Alterra, Wageningen. rapportnr 065. 120 p.
- van der Krift, T.A.J., Kuikman, P.J., Berendse, F. (2002). The effect of living plants on root decomposition of four grass species. *Oikos* 96: 36-45.
- van der Krift, T.A.J., Berendse, F. (2002). Root lifespans of four grass species from habitats differing in nutrient availability. *Functional Ecology* 16: 198-203.
- Roem, W.J., Klees, H., Berendse, F. (2002). Effects of nutrient addition and acidification on plant species diversity and seed germination in heathland vegetation. *Journal of Applied Ecology* 39: 937-948.
- Berendse, F., Jansen, A. (2002). Veerman is een ramp voor de natuur. Trouw 12 november. p. 16
- Heijmans, M., Klees, H., Berendse, F. (2002). Competition between *Sphagnum magellanicum* and *Eriophorum angustifolium* as affected by elevated CO₂ and increased N deposition. *Oikos* 97: 415-425.
- Heijmans, M.M.P.D., Klees, H., de Visser, W., Berendse, F. (2002). Effects of increased N deposition on the distribution of ¹⁵N labelled N between *Sphagnum* and vascular plants. *Ecosystems* 5: 500-508.
- Heijmans, M.M.P.D., Klees, H., de Visser, W., Berendse, F. (2002). Response of a *Sphagnum* bog plant community to elevated CO₂ and N supply. *Plant Ecology* 162: 123-134.
- Hoosbeek, M.R., van Breemen, N., Vasander, H., Buttlers, A., Berendse, F. (2002). Potassium limits potential growth of bog vegetation under elevated atmospheric CO₂ and N deposition. *Global Change Biology* 8: 1130-1138.
- Wamelink, G.W.W., Joosten, V., van Dobben, H.F., Berendse, F. (2002). Validity of Ellenberg indicator values judged from physico-chemical field measurements. *Journal of Vegetation Science* 113: 269-278.
- Kleijn, D., Berendse, F., Smit, R. (2002). Agrarisch natuurbeheer leidt niet tot verbetering natuur. *Geografie* 11: 28-30.
- van Ruijven, J., Berendse, F. (2003). Positive effects of plant species diversity on productivity in the absence of legumes. *Ecology Letters* 6: 170-175.
- van Ruijven, J., de Deyn, G.B., Berendse, F. (2003). Diversity reduces invasibility in experimental plant communities: the role of plant species. *Ecology Letters* 6: 910-918.
- Wamelink, G.W.W., van Dobben, H.F., Berendse, F. (2003). Apparently we do need phytosociological classes to calibrate Ellenberg indicator values. *Journal of Vegetation Science* 14: 619-620.
- Berendse, F. (2003). De natuur van het verleden of de natuur van de toekomst? Vijfde Victor Westhoff-lezing, Nijmegen. University Press, Nijmegen.
- Berendse, F., Jansen, A., van der Maarel, E. (2003). De natuur in beweging: verarming en herstel van biodiversiteit. *Stedenbouw en Ruimtelijke Ordening* 48: 18-27.
- Berendse, F. (2003). Hoe groot moet een natuurgebied zijn? *De Levende Natuur* 104: 250-253.
- Berendse, F. (2003). Boeken Top 3. *Natuur & Techniek* (juni 2003). p. 74
- Berendse, F. (2003). Die goeie ouwe tijd. *De Braakbal* 5: 8.
- Limpens, J., Berendse, F., Klees, H. (2003). N deposition affects N availability in interstitial water, growth of *Sphagnum* and invasion of vascular plants in bog vegetation. *New Phytologist* 157: 339-347.

- Limpens, J., Berendse, F. (2003). Growth reduction of *Sphagnum magellanicum* subjected to high nitrogen deposition: the role of amino acid nitrogen concentration. *Oecologia* 135: 339-345.
- Limpens, L., Raymakers, J.T.A.G., Baar, J., Berendse, F., Zijlstra, J.D. (2003). The interaction between epiphytic algae, a parasitic fungus and *Sphagnum* as affected by N and P. *Oikos* 103: 59-68.
- Ludwig, F., Dawson, T.E., de Kroon, H., Berendse, F., Prins, H.H.T. (2003). Hydraulic lift in *Acacia tortilis* trees on an East African Savanna. *Oecologia* 134: 293-300.
- van der Welle, M.E.W., Vermeulen, P.J., Shaver, G.R., Berendse, F. (2003). Factors determining plant species richness in Alaskan arctic tundra. *Journal of Vegetation Science* 14: 711-720.
- Verkley, G.J.M., Zijlstra, J.D., Summerbell, R.C., Berendse, F. (2003). Phylogeny and taxonomy of root-inhabiting *Cryptosporiopsis* species and *C. rhizophila* sp. nov., a fungus inhabiting roots of several *Ericaceae*. *Mycological Research* 107: 689-698.
- Limpens, J., Tomassen, H.B.M., Berendse, F. (2003). Expansion of *Sphagnum fallax* in bogs: striking the balance between N and P availability. *Journal of Bryology* 25: 83-90.
- Limpens, J., Berendse, F. (2003). How litter quality affects mass loss and N loss from decomposing *Sphagnum*. *Oikos* 103: 537-547.
- Tomassen, H., Smolders, F., Limpens, J., Duinen, G.J., van der Schaaf, S., Roelofs, J., Berendse, F., Esselink, H., van Wirdum, G. (2003). Onderzoek ten behoeve van herstel en beheer van Nederlandse hoogvenen: eindrapportage 1998-2001. Expertisecentrum LNV, Ede. rapport 2003/139. 186 p.
- Berendse, F., Chamberlain, D., Kleijn, D., Schekkerman, H. (2004). Declining biodiversity in agricultural landscapes and the effectiveness of agri-environment schemes. *Ambio* 8: 499-502.
- Berendse, F., Kleijn, D. (2004). The effectiveness of agri-environment schemes as a tool to restore biodiversity in Dutch agricultural landscapes. In: Cultural landscapes and land-use. The nature conservation-society interface (eds. Dieterich, M., van der Straaten, J.). Kluwer Academic Publishers, Dordrecht. p.183-192
- Berendse, F. (2004). In memoriam Prof. Dr. M.F. Mörzer Bruyns. *De Levende Natuur*.
- Limpens, J., Berendse, F., Klees, H. (2004). How phosphorus availability affects the impact of nitrogen deposition on *Sphagnum* and vascular plants in bogs. *Ecosystems* 7: 793-804
- Bakker, E.S., Olff, H., Boekhoff, M., Gleichman, J.M., Berendse, F. (2004). Impact of herbivores on nitrogen cycling: contrasting effects of large and small species. *Oecologia* 138: 91-101.
- Ludwig, F., de Kroon, H., Berendse, F., Prins, H.H.T. (2004). The influence of savanna trees on nutrient, water and light availability and the understory vegetation. *Plant Ecology* 170: 93-105.
- Ludwig, F., Dawson, T.E., Prins, H.H.T., Berendse, F., de Kroon, H. (2004). Below-ground competition between trees and grasses may overwhelm the facilitative effects of hydraulic lift. *Ecology Letters* 7: 623-631.
- de Deyn, G.B., Raaijmakers, C.E., van Ruijven, J., Berendse, F., van der Putten, W.H. (2004). Plant species identity and diversity effects on different trophic levels of nematodes in the soil food web. *Oikos* 106: 576-586.
- Willems, F., Breeuwer, A., Foppen, R., Teunissen, W., Schekkerman, H., Goedhart, P., Kleijn, D., Berendse, F. (2004). Evaluatie agrarisch natuurbeheer: effecten op weidevogeldichtheden. SOVON, Beek-Ubbergen. 29 p.
- Kleijn, D., Berendse, F., Smit, R., Gilissen, N., Smit, J., Brak, B., Groeneveld, R. (2004). Ecological effectiveness of agri-environment schemes in different agricultural landscapes in the Netherlands. *Conservation Biology* 18: 775-786.
- Sýkora, K., van den Bogert, J.C.J.M., Berendse, F. (2004). Changes in soil and vegetation during dune slack succession. *Journal of Vegetation Science* 15: 209-218.
- Schaepman-Strub, G., Painter, T., Huber, S., Dangel, S., Schaepman, M.E., Martonchik, J., Berendse, F. (2004). About the importance of the definition of reflectance quantities- Results of case studies. In: Proc. XXth ISPRS Congress (ed. Altan M.O.). Vol. XXXV: 361-366.
- Heijmans, M., Berendse, F. (2004). Modelling the effects of climate change on plant species composition and carbon sequestration in peat bogs. In: Book of Abstracts, 7th INTECOL International Wetlands Conference, Utrecht, The Netherlands. p. 125.

- Breeuwer, A., Heijmans, M., Berendse, F. (2005). Effects of climate change on *Sphagnum* composition: a North-South transplantation of bog monoliths. In: abstracts ESA/INTECOL meeting. August 7-12, Montréal, Canada.
- Berendse, F. (2005). Ecology of Communities, Ecosystems and Landscapes. Wageningen Universiteit. 144 p.
- Berendse, F. (2005). Impacts of global change on plant diversity and vice versa: Old and new challenges for vegetation scientists. *Journal of Vegetation Science* 16: 613-616.
- van Ruijven, J., Berendse, F. (2005). Diversity-productivity relationships: Initial effects, long-term patterns and underlying mechanisms. *PNAS* 102: 695-700.
- van Ruijven, J., de Deyn, G.B., Raaijmakers, C.E., Berendse, F., van der Putten, W.H. (2005). Interactions between spatially separated herbivores indirectly alter plant diversity. *Ecology Letters* 8: 30-37. (Zie ook: *Science* 307: 183. Editors'Choice: Eats Roots or Shoots)
- Schaepman, M.E., Wamelink, G.W.W., van Dobben, H.F., Gloor, M., Schaepman-Strub, G., Kooistra, L., Schmidt, A., Berendse, F. (2005). Regional scale ecosystem modeling for vegetation scenario development - demonstrated in a river floodplain (The Netherlands) using imaging spectroscopy. In: *Proceedings 9th International Symposium on Physical Measurements and Signatures in Remote Sensing (ISPMRS)*. ISPRS WG VII/1, Beijing. p. 667 - 670.
- Wamelink, G.W.W., Goedhart, P.W., van Dobben, H.F., Berendse, F. (2005). Plant species as predictors of soil pH: Replacing expert judgement with measurements. *Journal of Vegetation Science* 16: 461-470.
- Zijlstra, J.D., van 't Hof, P., Baar, J., Verkley, G.J.M., Summerbell, R.C., Paradi, I., Braakhekke, W.G., Berendse, F. (2005). Diversity of symbiotic root endophytes of the Helotiales in ericaceous plants and the grass *Deschampsia flexuosa*. *Studies in Mycology* 53: 147-162.
- Berendse, F., Verhulst, J., Willems, R., Breeuwer, A.J.G., Foppen, R., Kleijn, D. (2006). De effectiviteit van het Nederlandse weidevogelbeleid. *De Levende Natuur* 107: 112-117.
- Berendse, F. (2006). De Kwestie-dubbelvisie op weidevogelbeheer. *Vogelnieuws* 3: 7.
- Jongejans, E., de Kroon, H., Berendse, F. (2006). The interplay between shifts in biomass allocation and costs of reproduction in four grassland perennials under simulated successional change. *Oecologia* 147: 369-378.
- Limpens, J., Heijmans, M.M.D.P., Berendse, F. (2006). The nitrogen cycle in boreal peatlands. In: *Boreal Peatland Ecosystems* (eds. Wieder, R.K., Vitt, D.H.). *Ecological Studies* 188: 195-230.
- Verkaik, E., Jongkind, A.G., Berendse, F. (2006). Short-term and long-term effects of tannins on nitrogen mineralisation and litter decomposition in kauri (*Agathis australis* (D. Don) Lindl.) forests. *Plant and Soil* 287: 337-345.
- Berendse, F., de Kroon, H., Braakhekke, W. (2007). Acquisition, use and loss of nutrients. In: *Functional Plant Ecology* (2nd edition) (eds. Pugnaire, F.I., Valadares, F.). CRC Press, London. p. 259-283.
- Verkaik, E., Berendse, F., Gardner, R.O. (2007). Low soil water and nutrient availability below New Zealand Kauri (*Agathis australis* (D. Don) Lindl.) trees increase the fitness of kauri seedlings. *Plant Ecology* 191: 163-170.
- Verhulst, J., Kleijn, D., Berendse, F. (2007). Direct and indirect effects of the two most widely implemented Dutch agri-environment schemes on breeding waders. *Journal of Applied Ecology* 44: 70-80.
- van Ruijven J., Berendse F. (2007). Contrasting effects of diversity on the temporal stability of plant populations. *Oikos* 116: 1323-1330.
- van Grunsven, R.H.A., van der Putten, W.H., Bezemer, T.M., Tamis, W.L.M., Berendse, F., Veenendaal, E.M. (2007). Reduced plant-soil feedback of plant species expanding their range as compared to natives. *Journal of Ecology* 95: 1050 - 1057.
- Neutel, A.M., Heesterbeek, J.A.P., van de Koppel, J., Hoenderboom, G., Vos, A., Kaldewey, C., Berendse, F., de Ruiter, P.C. (2007). Reconciling complexity with stability in naturally assembling food webs. *Nature* 449(7162): 599 - 602.
- Schaepman, M.E., Wamelink, G.W.W., van Dobben, H.F., Gloor, M., Schaepman-Strub, G., Kooistra, L., Clevers, J.G.P.W., Schmidt, A., Berendse, F. (2007). River floodplain vegetation scenario

- development using imaging spectroscopy derived products as input variables in a dynamic vegetation model. *Photogrammetric Engineering and Remote Sensing* 73: 1179 - 1188.
- Veenendaal, E.M., Kolle, O., Leffelaar, P.A., Schrier-Uijl, A.P., van Huissteden, J., van Walsem, J., Möller, F., Berendse, F. (2007). CO₂ exchange and carbon balance in two grassland sites on eutrophic drained peat soils. *Biogeosciences* 4: 1027-1040.
 - Robroek, B.J.M., Schaepman-Strub, G., Limpens, J., Berendse, F., Breeuwer, A.J.G. (2007). In: *Proceedings of the First International Symposium on Carbon in Peatlands*. Wageningen University, Wageningen. 141 p.
 - Breeuwer, A., Heijmans, M., Robroek, B.J.M., Berendse, F. (2007). Effects of climate change on vegetation and decomposition: a North-South transplantation of bog monoliths. In: *Proceedings of the First International Symposium on Carbon in Peatlands*. Wageningen University, Wageningen. p. 109.
 - Heijmans, M., Breeuwer, A., van der Linden, M., Berendse, F. (2007). The effects of vegetation changes in peat bogs on long-term carbon sequestration rates. In: *Proceedings of the First International Symposium on Carbon in Peatlands*. Wageningen University, Wageningen. p. 47.
 - Robroek, B.J.M., Breeuwer, A., Crushell, P.H., Kimmel, K., Gleichman, M.J., Berendse, F., Schouten, M.G.C., Limpens, J. (2007). How species patch size, water table and climatic conditions affect performance of *Sphagnum*. In: *Proceedings of the First International Symposium on Carbon in Peatlands*. Wageningen University, Wageningen. p. 80 - 81.
 - Schrier, A., Kroon, P., Hendriks, D., Veenendaal, E.M., Berendse, F. (2007). Greenhouse gas fluxes in managed fen meadows in the Netherlands. In: *Proceedings of the First International Symposium on Carbon in Peatlands*. Wageningen University, Wageningen. p. 100.
 - Veenendaal, E., Hendriks, D., Kroon, P., Schrier, A., van Huissteden, J., Hensen, A., Duijzer, J., Leffelaar, P., Berendse, F., Dolman, H. (2007). Carbon balance Greenhouse gas fluxes in intensive and extensive managed grasslands on peat. In: *Proceedings of the First International Symposium on Carbon in Peatland*. Wageningen University, Wageningen. p. 38.
 - van Grunsven, R.H.A., Veenendaal, E.M., van der Putten, W.H., Berendse, F. (2007). Reduced plant-soil feedback in poleward shifting plant species. In: *Verhandlungen der Gesellschaft für Ökologie*. Verlag Die Werkstatt, Göttingen. Band 37: 191.
 - Heijmans, M.M.P.D., van Geel, B., Berendse, F. (2007). Modelling long-term effects of climate change on vegetation and carbon dynamics in peat bogs. In: *Darwin Days 2007*, Darwin Center for Biogeology, Veldhoven. p. 22.
 - Veenendaal, E.M., Hendriks, D.M.D., Kroon, P., Schrier, A., van Huissteden, J., Hensen, A., Duijzer, J.H., Leffelaar, P., Berendse, F., Dolman, A.J. (2007). Carbon balance and greenhouse gas fluxes in intensive and extensive managed grasslands on peat. *Geophysical Research Abstracts* 9, 02951.
 - Berendse, F. (2008). De Stichting Bijzondere Leerstoelen Natuurbeheer: een terugblik. *De Levende Natuur* 109: 63 - 64.
 - Breeuwer, A., Heijmans, M.M.P.D., Robroek, B.J.M., Berendse, F. (2008). The effect of temperature on growth and competition between *Sphagnum* species. *Oecologia* 156: 155 - 167.
 - Heijmans, M.M.P.D., Mauquoy, D., van Geel, B., Berendse, F. (2008). Long-term effects of climate change on vegetation and carbon dynamics in peat bogs. *Journal of Vegetation Science* 19: 307 - 320.
 - Limpens, J., Berendse, F., Blodau, C., Canadell, J.G., Freeman, C., Holden, J., Roulet, N., Rydin, H., Schaepman-Strub, G. (2008). Peatlands and the carbon cycle: from local processes to global implications - a synthesis. *Biogeosciences Discussions* 5: 1379 - 1419.
 - Limpens, J., Berendse, F., Blodau, C., Canadell, J.G., Freeman, C., Holden, J., Roulet, N., Rydin, H., Schaepman-Strub, G. (2008). Peatlands and the carbon cycle: from local processes to global implications - a synthesis. *Biogeosciences* 5: 1475-1491.
 - Schrier-Uijl, A.P., Veenendaal, E.M., Leffelaar, P.A., van Huissteden, J.C., Berendse, F. (2008). Spatial and temporal variation of methane emissions in drained eutrophic peat agro-ecosystems: drainage ditches as emission hotspots. *Biogeosciences Discussions* 5: 1237 - 1261.
 - Breeuwer, A., Heijmans, M., Robroek, B.J.M., Limpens, J., Berendse, F. (2008). The effect of increased temperature and nitrogen deposition on decomposition in bogs. *Oikos* 117: 1258-1268.
 - Kleijn, D., Berendse, F., Verhulst, J., Roodbergen, M., Klok, C., van 't Veer, R. (2008). Ruimtelijke dynamiek van weidevogelpopulaties in relatie tot de kwaliteit van de broedhabitat. *Welke*

- van Ruijven, J., Berendse, F. (2009). Long-term persistence of a positive plant diversity-productivity relationship in the absence of legumes. *Oikos* 118: 101-106.
- Berendse, F., Möller, F. (2009). Effects of competition on root-shoot allocation in *Plantago lanceolata* L.: adaptive plasticity or ontogenetic drift? *Plant Ecology* 201: 567-573.
- Hofland-Zijlstra, J.D., Berendse, F. (2009). The effect of nutrient supply and light intensity on tannins and mycorrhizal colonisation in Dutch heathland ecosystems. *Plant Ecology* 201: 661-675.
- Hofland-Zijlstra, J.D. & Berendse, F. (2009). The effect of nutrient supply and light intensity on tannins and mycorrhizal colonisation in Dutch heathland ecosystems. In: *Herbaceous Plant Ecology*. Netherlands: Springer. p. 297-311.
- Granath, G., Strengbom, J., Breeuwer, A., Heijmans, M.M.P.D., Berendse, F., Rydin, H. (2009). Photosynthetic performance in *Sphagnum* transplanted along a latitudinal nitrogen deposition gradient. *Oecologia* 159: 705-715.
- Robroek, B.J.M., Schouten, M.G.C., Limpens, J., Berendse, F., Poorter, H. (2009). Interactive effects of water table and precipitation on net CO₂ assimilation of three co-occurring *Sphagnum* mosses differing in distribution above the water table. *Global Change Biology* 15: 680-691.
- Breeuwer, A., Robroek, B.J.M., Limpens, J., Heijmans, M.M.P.D., Schouten, M.G.C., Berendse, F. (2009). Decreased summer water table depth affects peatland vegetation. *Basic and Applied Ecology* 10: 330 - 339.
- Breeuwer, A., Heijmans, M.M.P.D., Gleichman, M., Robroek, B.J.M., Berendse, F. (2009). Response of *Sphagnum* species mixtures to increased temperature and nitrogen availability. *Plant Ecology* 204: 97-111.
- Neutel, A.M., Heesterbeek, J.A.P., van de Koppel, J., Hoenderboom, G., Vos, A., Kaldewey, C., Berendse, F., de Ruiter, P.C. (2009). ADDENDUM Reconciling complexity with stability in naturally assembling food webs (*Nature* (2007) 449: 599-602). *Nature* 458:110.
- Wamelink, G.W.W., van Dobben, H.F., Mol-Dijkstra, J.P., Schouwenberg, E.P.A.G., Kros, J., de Vries, W., Berendse, F. (2009). Effect of nitrogen deposition reduction on biodiversity and carbon sequestration. *Forest Ecology and Management* 258:1774-1779.
- Robroek, B.J.M., van Ruijven, J., Schouten, M.G.C., Breeuwer, A., Crushell, P.H., Berendse, F., Limpens, J. (2009). *Sphagnum* re-introduction in degraded peatlands: The effects of aggregation, species identity and water table. *Basic and Applied Ecology* 10:697-706.
- Berendse, F., Scheffer, M. (2009). The angiosperm radiation revisited, an ecological explanation for Darwin's 'abominable mystery'. *Ecological Letters* 12: 865-872.
- Wamelink, G.W.W., van Dobben, H.F., Berendse, F. (2009). Vegetation succession as affected by decreasing nitrogen deposition, soil characteristics and site management: A modelling approach. *Forest Ecology and Management* 258: 1762-1773.
- Breeuwer, A., Berendse, F., Willems, F., Foppen, R., Teunissen, W., Schekkerman, H., Goedhart, P. (2009). Do meadow birds profit from agri-environment schemes in Dutch agricultural landscapes? *Biological Conservation* 142: 2949-2953.
- Gleichman, M., de Nijs, L., Berendse, F. (2009). Veranderingen in avifauna en flora van de noordelijke Gelderse Vallei. *De Levende Natuur* 110: 346-351.
- Heijmans, M.M.P.D., Berendse, F. (2009). NUCOM: a dynamic vegetation model for peatlands and tundra including nitrogen cycling and mosses. In: *Proceedings of 4th International WS on C/H₂O/Energy balance and climate over boreal regions with special emphasis on eastern Eurasia, Yakutsk, Russia, 14-16 July 2008*. Nagoya University, Nagoya. p. 109-112.
- Flohre, A., Fischer, C., Aavik, T., Ameixa, O., Bengtsson, J., Berendse, F., Bommarco, R., Ceryngier, P., Clement, L.W., Dennis, C., Hänke, S., Eggers, S., Emmerson, M., Geiger, F., Guerrero, I., Hawro, V., Inchausti, P., Kindlmann, P., Liira, J., Morales, M.B., Pärt, T., Weisser, W.W., Winqvist, C., Thies, C., Tschardtke, T. (2009). Agricultural intensification and dispersal ability affect beta diversity of plants, carabids and birds. In: *Book of abstracts 2nd European Congress of Conservation Biology*. Czech University of Life Sciences, Prague. p. 68.
- Geiger, F., Bengtsson, J., Berendse, F., Inchausti, P., Weisser, W.W., Emmerson, M., Morales, M.B., Ceryngier, P., Kindlmann, P., Tschardtke, T., Liira, J., Winqvist, C., Eggers, S., Bommarco, R., Pärt, T., Boisteau, B., Clement, L.W., Dennis, C., Palmer, C., Guerrero, I., Hawro, V., Ameixa, O., Aavik, T.,

- Thies, C., Flohre, A., Hänke, S., Fischer, C. (2009). Europe-wide negative effects of agricultural intensification on biodiversity and biological pest control on farmland. In: Book of abstracts 2nd European Congress of Conservation Biology. Czech University of Life Sciences, Prague. p. 56.
- Schrier-Uijl, A.P., Kroon, P., Hendriks, D., Veenendaal, E.M., Leffelaar, P.A., Berendse, F., (2009). How the methane balance changes if agricultural peatlands are transformed into wetland nature and how this transformation influences the total carbon balance - contribution to cost action ES0804. In: Water in a Changing Climate. Progress in Land-Atmosphere Interactions and Energy/Water Cycle Research, Proceedings of the 6th International Scientific Conference on the Global Energy and Water Cycle and 2nd Integrated Land Ecosystem - Atmosphere Processes Study (iLEAPS) Science Conference, 24-28 August 2009, Melbourne, Australia. p. 149-152.
 - Pierik, M., van Ruijven, J., Berendse, F., Bezemer, T.M. (2009). Travelling to a former sea-floor: colonization of forests by understory plant species. In: USB Abstracts of the 10th International Congress of Ecology (INTECOL), Brisbane, Australia, 16-21 August 2009. International Association of Ecology, Brisbane.
 - Berendse, F., Geiger, F., Bengtsson, J., Inchausti, P., Weisser, W.W., Emmerson, M., Morales, M.B., Ceryngier, P., Kindlmann, P., Liira, J., Tscharnkte, T., Winqvist, C., Eggers, S., Bommarco, R., Pärt, T., Boisteau, B., Clement, L.W., Dennis, C., Palmer, C., Guerrero, I., Hawro, V., Ameixa, O., Aavik, T., Thies, C., Flohre, A., Hänke, S. & Fischer, C. (2009). Europe-wide negative effects of agricultural intensification on biodiversity and biological pest control on farmland. In USB Abstracts of the 10th International Congress of Ecology (INTECOL) on Ecology in a Changing Climate, Brisbane, Australia, 16-21 August 2009. International Association of Ecology, Brisbane.
 - van Grunsven, R.H.A., van der Putten, W.H., Bezemer, T.M., Berendse, F., Veenendaal, E.M. (2010). Plant-soil interactions in the expansion and native range of a poleward shifting plant species. *Global Change Biology* 16: 380-385.
 - Hofland-Zijlstra, J.D. & Berendse, F. (2010). Effects of litters with different concentrations of phenolics on the competition between *Calluna vulgaris* and *Deschampsia flexuosa*. *Plant and Soil* 327: 131-141.
 - Pierik, M., Ruijven, J. van, Bezemer, T.M. & Berendse, F. (2010). Travelling to a former sea floor: colonization of forests by understory plant species on land recently reclaimed from the sea. *Journal of Vegetation Science* 21: 167-176.
 - Verkley, G.J.M., Hofland-Zijlstra, J.D. & Berendse, F. (2010). *Rhizoderma veluwensis* (Fungal Planet 46). *Persoonia* 24: 130-131.
 - Blok, D., Heijmans, M.M.P.D., Schaepman-Strub, Kononov, A.V., Maximov, T.C. & Berendse, F. (2010). Shrub expansion may reduce summer permafrost thaw in Siberian tundra. *Global Change Biology*, 16: 1296-1305.
 - Blok, D., Schaepman-Strub, G., Heijmans, M.M.P.D., Sass-Klaassen, U., Bartholomeus, H.M., Knyazikhin, Y. & Berendse, F. (2010). Climate change effects on vegetation in Northeastern Siberian tundra - How does shrub growth relate to local climate and what are potential effects of shrub expansion on permafrost thawing? In: Proceedings of the EGU General Assembly 2010, 2-7 May 2010, Vienna, Austria Vol. 12. Geophysical Research Abstracts. Vienna, Austria.
 - Blok, D., Schaepman-Strub, G., Heijmans, M.M.P.D., Sass-Klaassen, U., Bartholomeus, H.M. & Berendse, F. (2010). How does shrub growth relate to local climate and what are potential effects of shrub expansion on permafrost thawing? In: Proceedings 10th Netherlands Aardwetenschappelijk Congres, 22-23 April 2010, Veldhoven, The Netherlands.
 - Blok, D., Schaepman-Strub, G., Sass-Klaassen, U., Heijmans, M.M.P.D., Bartholomeus, H.M. & Berendse, F. (2010). Shrub growth response to climate change and feedbacks of vegetation change to permafrost thaw in the Siberian Arctic tundra. In: Proceedings of the 5th International workshop on C/H₂O/Energy balance and climate over boreal and arctic regions with special emphasis on eastern Eurasia, Wageningen, The Netherlands, 11-13 November 2010.
 - Blok, D., Schaepman-Strub, G., Sass-Klaassen, U., Heijmans, M.M.P.D., Bartholomeus, H.M. & Berendse, F. (2010). Shrub growth response to climate change and feedbacks of vegetation change to permafrost thaw in the Siberian arctic tundra. In: Proceedings of the 2010 AGU Fall Meeting, San Francisco, California, USA, 13-17 December 2010.
 - Blok, D., Schaepman-Strub, G., Sass-Klaassen, U., Heijmans, M.M.P.D., Bartholomeus, H.M. & Berendse, F. (2010). Shrub growth response to climate change: Feedbacks of vegetation change to

- permafrost thaw in the Siberian Arctic tundra. In: Proceedings of the 95th ESA Annual Meeting, Pittsburg, Pennsylvania, USA, 1-6 August 2010.
- Dias, A.A. , Ruijven, J. van & Berendse, F. (2010). Plant species richness regulates soil respiration through changes in productivity. *Oecologia*, 163: 805-813.
 - Breeuwer, A.J.G. , Heijmans, M.M.P.D. , Robroek, B.J.M. & Berendse, F. (2010). Field Simulation of Global Change: Transplanting Northern Bog Mesocosms Southward. *Ecosystems* 13: 712-726.
 - Mommer, L., Ruijven, J. van, Berendse, F. & Ouborg, N.J. (2010). Unveiling below-ground species abundance in a biodiversity experiment: a test of vertical niche differentiation among grassland species. *Journal of Ecology* 98: 1117-1127.
 - Ruijven, J. van & Berendse, F. (2010). Diversity enhances community recovery, but not resistance, after drought. *Journal of Ecology* 98: 81-86.
 - Schrier-Uijl, A.P. , Kroon, P.S. , Hensen, A. , Leffelaar, P.A. , Berendse, F. & Veenendaal, E.M. (2010). Comparison of chamber and eddy covariance-based CO₂ and CH₄ emission estimates in a heterogeneous grass ecosystem on peat. *Agricultural and Forest Meteorology* 150: 825-831.
 - Schrier-Uijl, A.P. , Kroon, P.S., Leffelaar, P.A. , Huissteden, J.C. van, Berendse, F. & Veenendaal, E.M. (2010). Methane emissions in two drained peat agro-ecosystems with high and low agricultural intensity. *Plant and Soil* 329: 509-520.
 - Geiger, F. , Bengtsson, J. , Berendse, F. , Weisser, W.W., Emmerson, M. , Morales, M.B. , Ceryngier, P. , Liira, J. , Tscharnke, T. , Winqvist, C. , Eggers, S. , Bommarco, R. , Pärt, T. , Bretagnolle, V. , Plantegenest, M. , Clement, L.W. , Dennis, C. , Palmer, C., Oñate, J.J. , Guerrero, I., Hawro, V. , Aavik, T. , Thies, C. , Flohre, A. , Hänke, S. , Fischer, C. , Goedhart, P.W. & Inchausti, P. (2010). Persistent negative effects of pesticides on biodiversity and biological control potential on European farmland. *Basic and Applied Ecology* 11: 97-105.
 - Geiger, F. , Bengtsson, J. , Berendse, F. , Weisser, W.W., Emmerson, M. , Morales, M.B. , Ceryngier, P. , Liira, J. , Tscharnke, T. , Winqvist, C. , Eggers, S. , Bommarco, R. , Pärt, T. , Bretagnolle, V. , Plantegenest, M. , Clement, L.W. , Dennis, C. , Palmer, C., Oñate, J.J. , Guerrero, I., Hawro, V. , Aavik, T. , Thies, C. , Flohre, A. , Hänke, S. , Fischer, C. , Goedhart, P.W. & Inchausti, P. (2011). Erratum to "Persistent negative effects of pesticides on biodiversity and biological control potential on European farmland" [*Basic Appl. Ecol.* 11 (2010) 97–105]. *Basic and Applied Ecology*, 12: 386-387.
 - Geiger, F., Snoo, G.R. de & Berendse, F. (2010). Landscape composition influences farm management effects on farmland birds in winter: A pan-European approach. *Agriculture, Ecosystems and Environment* 139: 571-577.
 - Geiger, F., Gleichman, J.M., Snoo, G.R. de, Berendse, F., Flinks, H., Hegemann, A. & Tieleman, B.I. (2010). Field preference and diet of foraging skylarks in winter. In: *The Future of Biodiversity - Genes, Species, Ecosystems*, Giessen, Germany, 30 August - 3 September 2010.
 - Groot, A.V. de, Berendse, F., Riksen, M.J.P.M., Slim, P.A., Dobben, H.F. van & Stroosnijder, L. (2010). Dune formation and vegetation development under dynamic coastal defence. IPOP symposium, 18 maart 2010. Wageningen University, the Netherlands.
 - Groot, A.V. de, Berendse, F., Riksen, M.J.P.M., Slim, P.A., Dobben, H.F. van & Stroosnijder, L. (2010). Dune formation and vegetation development under dynamic coastal defence. NCK days 2010: 25-26 maart, Westkapelle, the Netherlands.
 - Groot, A.V. de, Berendse, F., Riksen, M.J.P.M., Slim, P.A., Dobben, H.F. van & Stroosnijder, L. (2010). Modelling coastal dune formation and associated vegetation development. Coastal Ecology Workshop 29 September-03 October 2010: Conwy, Wales, UK.
 - Nauta, A.L., Heijmans, M.M.P.D., Blok, D. & Berendse, F. (2010). The effect of permafrost thawing on soil and vegetation in the Siberian tundra. In: *Proceedings of 5th International Workshop on C/H₂O/Energy balance and climate over boreal and arctic regions with special emphasis on eastern Eurasia*, 11-12 November 2010, Wageningen, The Netherlands. p. 19-20.
 - Flohre, A. , Fischer, C. , Aavik, T. , Bengtson, J. , Berendse, F. & Geiger, F. (2011). Agricultural intensification and biodiversity partitioning in European landscapes comparing plants, carabids, and birds. *Ecological Applications* 21: 1772-1781.
 - Blok, D., Sass-Klaassen, U., Schaepman-Strub, G. , Heijmans, M.M.P.D. , Sauren, P. & Berendse, F. (2011). What are the main climate drivers for shrub growth in Northeastern Siberian tundra? *Biogeosciences* 8: 1169-1179.

- Blok, D., Heijmans, M.M.P.D., Schaepman-Strub, G., Ruijven, J. van, Parmentier, F.J.W., Maximov, T.C. & Berendse, F. (2011). The Cooling Capacity of Mosses: Controls on Water and Energy Fluxes in a Siberian Tundra Site. *Ecosystems*, 14: 1055-1065.
- Blok, D., Schaepman-Strub, G., Bartholomeus, H.M., Heijmans, M.M.P.D., Maximov, T.C. & Berendse, F. (2011). The response of Arctic vegetation to the summer climate: relation between shrub cover, NDVI, surface albedo and temperature. *Environmental Research Letters*, 6: 35502-35510
- Blok, D., Heijmans, M.M.P.D., Schaepman-Strub, G. & Berendse, F. (2011). Vegetation feedbacks to permafrost thaw. In: Proceedings of the Darwin Center for Biogeosciences yearly meeting, April 2009, Veldhoven, The Netherlands.
- Heijmans, M.M.P.D., Breeuwer, A.J.G., Linden, M. van der, Geel, B. van & Berendse, F. (2011). How will peat bogs respond to climate change? Results of combined palaeo-ecological, experimental and model research. In: Proceedings of Netherlands Annual Ecology Meeting, 8-9 February 2011, Lunteren, The Netherlands. p. 7.
- Nauta, A.L., Heijmans, M.M.P.D., Blok, D. & Berendse, F. (2011). The effect of climate warming on the arctic ecosystem: the response of soil and vegetation to enhanced seasonal thawing of permafrost in the Siberian tundra. In Proceedings of Darwin Days 2011, 7-8 February 2011, Lunteren, The Netherlands. p. 38.
- Groot, A.V. de, Berendse, F., Riksen, M., Baas, A., Slim, P.A., Dobben, H.F. van & Stroosnijder, L. (2011). Modelling coastal dune formation and associated vegetation development. In: Proceedings of the EGU General Assembly 2011, Vienna, Austria, 3-8 April. *Geophysical Research Abstracts* 13. Göttingen, Germany.
- Guerrero, I., Morales, M.B., Onate, J.J., Aavik, T., Bengtsson, J., Berendse, F. & Geiger, F. (2011). Taxonomic and functional diversity of farmland bird communities across Europe: effects of biogeography and agricultural intensification. *Biodiversity and Conservation*, 20: 3663-3681.
- Pierik, M., Ruijven, J. van, Bezemer, T.M., Geerts, R.H.E.M. & Berendse, F. (2011). Recovery of plant species richness during long-term fertilization of a species rich grassland. *Ecology* 92:1393-1398.
- Schrier-Uijl, A.P., Veraart, A.J., Leffelaar, P.A., Berendse, F. & Veenendaal, E.M. (2011). Release of CO₂ and CH₄ from lakes and drainage ditches in temperate wetlands. *Biogeochemistry* 102: 265-279.
- Verhulst, J., Kleijn, D., Loonen, W., Berendse, F. & Smit, C. (2011). Seasonal distribution of meadow birds in relation to in-field heterogeneity and management. *Agriculture, Ecosystems and Environment*, 142: 161-166.
- Vos, V.C.A., Ruijven, J. van, Berg, M.P., Peeters, E.T.H.M. & Berendse, F. (2011). Macro-detritivore identity drives leaf litter diversity effects. *Oikos* 120: 1092-1098.
- Winqvist, C., Bengtsson, J., Aavik, T., Berendse, F., Clement, L.W., Eggers, S., Fischer, C., Flohre, A., Geiger, F. & Liira, J. (2011). Mixed effects of organic farming and landscape complexity on farmland biodiversity and biological control potential across Europe. *Journal of Applied Ecology* 48: 570-579.
- Berendse, F. (2011). *Natuur in Nederland*. KNNV Uitgeverij, Zeist, Nederland. 307 p.